


MORE INFO:



RESIDENTIAL OR COMMERCIAL APPLICATIONS



DOCK·RAIL™

Durable Aluminum Railing with CableRail for Docks

Feeney® DockRail™ is now available, offering a seamless transition from land to water. DockRail™ is designed to ensure long lasting beauty and durability - perfect for the marine environment.

MARINE-GRADE FRAME DESIGN

- Powder-coated aluminum with stainless steel fasteners
- Rail and Post Kits designed for level dock applications
- Fascia mounted using 3/8" diameter stainless steel lag screws
- Series 200, rectangular top rail
- Posts come pre-drilled for 5 CableRail Standard Kits
- Railing height 36" with no bottom rail

HORIZONTAL CABLERAIL INFILL

- Pre-fabricated 1/8" diameter CableRail Kits include all of the attachment hardware and come in standard lengths
- Made from high quality 316-grade stainless steel for weather-tough durability and very low maintenance



200 Series Top Rail with no Bottom Rail

FRAME COLOR OPTIONS



- Durable, powder coated finishes adhere to AAMA-2604 coating specifications for superior color retention, impact resistance, and weather protection.



TEXTURED BLACK



BLACK



BRIGHT WHITE



BRONZE



SILVER




VIDEO: Introducing DockRail™ - Guard Your Dock in Style

ASSEMBLY DIAGRAM

DOCKRAIL™ COMPONENTS

- 1 DockRail™ Post Kit**
 - 1a POST
 - 1b BOTTOM POST CAP
- 2 DockRail™ Rail Kit**
 - 2a 200 TOP RAIL (10-FT)
 - 2b TOP RAIL INSERT
- 3 End Plate Kit**
- 4 CableRail Kit (1/8")**
- 5 CableRail End Cap**



ALUMINUM FRAME & FASTENER SPECIFICATIONS

Extrusion Type	Alloy	Specification
Posts, RCBs	6005A-T5	ASTM B221
Top Rail, Inserts	6063-T6	ASTM B221 AMSQA200/9

Fastener	Alloy	Specification
Lag Screws	Type 18-8 Stainless Steel	ANSI/ASME B18.2.1-2012
Thru-Bolts/Cap Screws	Type 18-8 Stainless Steel	ASTM F593017 CW
Assembly Screws	Type 410 Stainless Steel	ANSI/ASME B18.6.4

CABLERAIL SPECIFICATIONS

Alloy	Specification
Type 316 Stainless Steel	AISI Type 316 ASTM A492

MAINTENANCE GUIDELINES

Stainless steel cables should be cleaned periodically. Cleaning frequency will depend on the environmental conditions that the product is placed in. Feeney recommends our Stainless Steel Cleaner & Protectant Kit for maintaining stainless steel products. Alternatively, warm water and mild soap can be used.

Rinse your railing frame with fresh water. Remove dust and dirt with a soft cloth or sponge and a solution of mild soap and/ or liquid detergent in water. Always use a soft, damp cloth to blot dry. Avoid harsh solutions or abrasive cleaning compounds, included but not limited to: alkaline or acidic cleaners, solutions containing trisodium phosphate, phosphoric acid, hydrofluoric acid, gasoline, benzene, acetone, carbon tetrachloride, certain deicing fluids, lacquer thinner or other strong solvents.

See [Warranty and Care brochure](#) or [scan the QR code](#) to learn more about our product maintenance guidelines and warranty information.

